



PRODUCT CATALOG

INFINITI POWER

ABOUT US

Company Profile

Established in 2005 as a family-owned business, Nova Cellular began as a modest repair centre, but over the years, it has evolved into one of South Africa's leading cellular repair hubs, trusted by major networks nationwide. With nearly two decades of expertise, Nova Cellular has earned a stellar reputation for delivering unmatched quality, reliability, and top-tier customer service. Our specialized team stays ahead of the curve, adapting to the latest advancements in mobile technology to ensure we provide the best repair solutions available. This unwavering commitment to excellence has made Nova Cellular the go-to partner for both individual customers and large corporations alike.

In 2022, **Nova Cellular broadened its horizons** with the launch of Infiniti Power, a sister company that leverages our deep industry knowledge and commitment to quality. Infiniti Power focuses on importing world-class cell-phone accessories that cater to diverse customer needs. We proudly hold the exclusive distribution rights for one of the most innovative and trusted brands on the global market, a partnership that has brought remarkable success—with a zero-return on our mobile phone accessories testament to the quality of our cellular phone products.

Our Shared Vision

At the core of both Nova Cellular and Infiniti Power is a shared vision: to bring high-quality, innovative solutions that enhance the everyday lives of our customers. While Nova Cellular continues to excel as a leader in mobile phone repairs, Infiniti Power is on a mission to offer consumers top-tier mobile accessories at competitive prices, ensuring affordability without compromising on quality.

VIP Services



Advertising & publicity fee



Annual report/PPT



Regular meeting



Local customer recommendation



Local sales solutions/ Market research & analysis



Experiences

20 Years
Professional team service



Decoration Support

Subsidies for decoration costs

New Opportunity

1 Exclusive Market
Opportunity for a new brand



Affordable Prices

2 Brands' absolute
bargaining power



365 Days Warranty

Local return and
exchange service



Advocacy Resources

All product's promotional
materials and resources



Our Certificate





Data Cable Series





PJ-001 USB 2.0

Aluminium Alloy

Fast Charging/Data Transfer Cable

Length 1.2m / 2m

Colour



Product Name	Electric Parameters	Product Features
PJ-AL-001	USB-A to Lightning 5V/2.4A 12W	<ul style="list-style-type: none">Aluminum Alloy HousingPP Braided cableThickened Tinned copperIn-Shell Injection Molding30,000 Times Bending48 Hours Salt Resistance Test <div>Certification </div>
PJ-AM-001	USB-A to Micro 5V/2A	
PJ-AC-001	USB-A to Type-C 5V/3A	
PJ-CC-001	Type-C to Type-C 20V/3A (60W)	
PJ-CL-001	Type-C to Lightning 15V/2A (30W)	



PJ-002 USB 2.0

Aluminium Alloy

Fast Charging/Data Transfer Cable

Length 1.2m / 2m

Colour



Product Name	Electric Parameters	Product Features
PJ-AL-002	USB-A to Lightning 5V/2.4A 12W	<ul style="list-style-type: none">Aluminum Alloy HousingPP Braided cableThickened Tinned copperIn-Shell Injection Molding30,000 Times Bending48 Hours Salt Resistance Test <div>Certification </div>
PJ-AM-002	USB-A to Micro 5V/2A	
PJ-AC-002	USB-A to Type-C 5V/3A	
PJ-CC-002	Type-C to Type-C 20V/3A (60W)	
PJ-CL-002	Type-C to Lightning 15V/2A (30W)	



PP-003 USB 2.0

Aluminium Alloy

Fast Charging/Data Transfer Cable

Length 2m

Colour



Product Name	Electric Parameters	Product Features
PP-CC-003	Type-C to Type-c 48V/5A 240W	<ul style="list-style-type: none">Aluminum Alloy HousingPP Braided cableThickened Tinned copperIn-Shell Injection Molding30,000 Times Bending48 Hours Salt Resistance Test <div>Certification </div>



PP-004 USB 2.0

PVC Moulding

Fast Charging/Data Transfer Cable

Length 1.2m / 2m

Colour



Product Name	Electric Parameters	Product Features
PP-AL-004	USB-A to Lightning 5V/2.4A 12W	<ul style="list-style-type: none">PVC MouldingFlame Retardant MaterialsThickened Tinned CopperIn-Shell Injection Molding30,000 Times Bending48 Hours Salt Resistance Test <div>Certification </div>
PP-AM-004	USB-A to Micro 5V/2A	
PP-AC-004	USB-A to Type-C 5V/3A	
PP-CC-004	Type-C to Type-C 20V/3A (60W)	
PP-CL-004	Type-C to Lightning 15V/2A (30W)	



PJ-005 USB 2.0

TPE Moulding

Fast Charging/Data Transfer Cable

Length 1.2m / 2m

Colour ●

Product Name	Electric Parameters	Product Features
PJ-AL-005	USB-A to Lightning 5V/2.4A 12W	<ul style="list-style-type: none">PVC MouldingPP Braided cableThickened Tinned copperIn-Shell Injection Molding30,000 Times Bending48 Hours Salt Resistance Test <div>Certification</div> <div>CE FC RoHS REACH UK CA CB</div>
PJ-AM-005	USB-A to Micro 5V/2A	
PJ-AC-005	USB-A to Type-C 5V/3A	
PJ-CC-005	Type-C to Type-C 20V/3A (60W)	
PJ-CL-005	Type-C to Lightning 15V/2A (30W)	



PP-006 USB 2.0

Zinc Alloy Shell

Fast Charging/Data Transfer Cable

Length 1.2m / 2m

Colour ● ● ● ●

Product Name	Electric Parameters	Product Features
PP-CC-006-100W	Type-C to Type-C 20V/5A (100W)	<ul style="list-style-type: none">Zinc Alloy ShellPP Braided cableThickened Tinned copperIn-Shell Injection Molding30,000 Times Bending48 Hours Salt Resistance Test <div>Certification</div> <div>CE FC RoHS REACH UK CA CB</div>
PP-CC-006-60W	Type-C to Type-C 20V/3A (60W)	
PP-AC-006	USB-A to Type-C 5V/3A 18W	
PP-AL-006	USB-A to Lightning 5V/2.4A 12W	
PP-CL-006	Type-C to Lightning 15V/2A (30W)	



PP-007 USB 3.2


20Gbps Superspeed+

Fast Charging/Data Transfer Cable

Length 1.2m/2m

Colour ●

Product Name	Electric Parameters	Product Features
PP-CC-007	Type-C to Type-C 20V/5A 100W	<ul style="list-style-type: none">Aluminum Alloy ShellPP Braided CableSupport 4K @60HZ Display20Gbps High Speed Transmission30,000 Times Bending48 Hours Salt Resistance Test <div>Certification</div> <div>CE FC RoHS REACH UK CA CB</div>



PJ-008 USB 2.0


Fully Compatible

Fast Charging/Data Transfer Cable

Length 1.2m / 2m

Colour ●

Product Name	Electric Parameters	Product Features
PJ-AC-008	USB-A to Type-C 11V/6A (66W)	<ul style="list-style-type: none">Aluminum Alloy ShellFlame Retardant MaterialsThickened Tinned CopperIn-Shell Injection Molding30,000 Times Bending48 Hours Salt Resistance Test <div>Certification</div> <div>CE FC RoHS REACH UK CA CB</div>



PP-009 USB 2.0

Amazon Best Seller

Fast Charging/Data Transfer Cable

Length 1.2m / 2m

Colour ●

Product Name	Electric Parameters	Product Features
PJ-AL-005	USB-A to Lightning 5V/2.4A 12W	<ul style="list-style-type: none">Aluminum Alloy ShellPP Braided cableThickened Tinned copperIn-Shell Injection Molding30,000 Times Bending48 Hours Salt Resistance Test <div>Certification</div> <div>CE FC RoHS</div> <div>REACH UK CB</div>
PJ-CL-005	Type-C to Lightning 15V/2A (30W)	
PJ-AC-005	USB-A to Type-C 5V/3A	
PJ-CC-005	Type-C to Type-C 20V/3A (60W)	



PP-010-011 USB 2.0

Fully Compatible

Fast Charging/Data Transfer Cable

Length 1.2m / 2m

Colour ●

Product Name	Electric Parameters	Product Features
PP-CC-010-100W	Type-C to Type-C 20V/5A (100W)	<ul style="list-style-type: none">Aluminum Alloy ShellPP Braided cableThickened Tinned copperIn-Shell Injection Molding30,000 Times Bending48 Hours Salt Resistance Test <div>Certification</div> <div>CE FC RoHS</div> <div>REACH UK CB</div>
PP-CC-010-60W	Type-C to Type-C 20V/3A (60W)	
PP-AC-010	USB-A to Type-C 5V/3A 18W	
PP-CL-010	Type-C to Lightning 15V/2A (30W)	
PP-AL-010	USB-A to Lightning 5V/2.4A (12W)	



PP-012 USB 2.0

Zinc Alloy Shell

Fast Charging/Data Transfer Cable

Length 1.2m / 2m

Colour ○

Product Name	Electric Parameters	Product Features
PP-CC-012-100W	Type-C to Type-C 20V/5A (100W)	<ul style="list-style-type: none">Zinc Alloy ShellPP Braided cableThickened Tinned copperIn-Shell Injection Molding30,000 Times Bending48 Hours Salt Resistance Test <div>Certification</div> <div>CE FC RoHS</div> <div>REACH UK CB</div>
PP-CC-012-60W	Type-C to Type-C 20V/3A (60W)	



PP-013 USB 3.0

Aluminium Alloy

Fast Charging/Data Transfer Cable

Length 1.2m/2m

Colour ●

Product Name	Electric Parameters	Product Features
PP-CC-013	Type-C to Type-C 20V/3A 60W	<ul style="list-style-type: none">USB 3.0Flame Retardant MaterialsThickened Tinned CopperIn-Shell Injection Molding30,000 Times Bending48 Hours Salt Resistance Test <div>Certification</div> <div>CE FC RoHS</div> <div>REACH UK CB</div>



PP-014 USB 3.2

20Gbps Superspeed+

Fast Charging/Data Transfer Cable

Length 30cm

Colour ●

Product Name	Electric Parameters	Product Features
PP-ACC-014	Type-C to Type-C/USB-A 20V/3A (60W)	<ul style="list-style-type: none"> Aluminum Alloy Shell PP Braided Cable Support 4K@60HZ Display 20Gbps High Speed Transmission 30,000 Times Bending 48 Hours Salt Resistance Test
Certification <div> CE FC RoHS REACH UK CA CB </div>		



PP-015 USB4

40Gbps Superspeed+

Fast Charging/Data Transfer Cable

Length 1m

Colour ●

Product Name	Electric Parameters	Product Features
PP-CC-015	Type-C to Type-C 20V/5A (100W)	<ul style="list-style-type: none"> TPE One-Piece Moulding 8-segment Coaxial Cable Structure Support 8K2*4K@60HZ Display 40Gbps Transfer Speed 30,000 Times Bending 48 Hours Salt Resistance Test
Certification <div> CE FC RoHS REACH UK CA CB </div>		



PJ-016 USB4


40Gbps Superspeed+

Fast Charging/Data Transfer Cable

Length 1.2m/2m

Colour ●

Product Name	Electric Parameters	Product Features
PJ-CC-016	Type-C to Type-C 48V/5A 240W	<ul style="list-style-type: none"> TPE One-Piece Moulding 8-segment Coaxial Cable Structure Support 8K2*4K@60HZ Display 40Gbps Transfer Speed 30,000 Times Bending 48 Hours Salt Resistance Test
Certification <div> CE FC RoHS REACH UK CA CB </div>		



PP-017 USB 3.1

VR Streaming Cable

Fast Charging/Data Transfer Cable

Length 1.2m / 2m

Colour ●

Product Name	Electric Parameters	Product Features
PP-VR-017	USB-A to Type-C 9V/2A (18W)	<ul style="list-style-type: none"> TPE One-Piece Moulding PD18W Power Supply Support 4K@60HZ Display 5Gbps Transfer Speed 30,000 Times Bending 48 Hours Salt Resistance Test
Certification <div> CE FC RoHS REACH UK CA CB </div>		



PP-CCL-016 USB 2.0

2 IN 1 PD 100W

Fast Charging/Data Transfer Cable

Length 1.2m

Colour ●

Product Name	Electric Parameters	Product Features
PP-CCL-016	Type-C to Type-C/Lightning 20V/5A (100W)	<ul style="list-style-type: none">Aluminum Alloy ShellFlame Retardant MaterialsThickened Tinned CopperIn-Shell Injection Molding30,000 Times Bending48 Hours Salt Resistance Test
Certification		
<div>CEFCRoHS</div> <div>REACHUKCACB</div>		



PP-CCC-016 USB 2.0

2 IN 1 PD 100W

Fast Charging/Data Transfer Cable

Length 1.2m

Colour ●

Product Name	Electric Parameters	Product Features
PP-CCC-016	Type-C to Type-C/Type-C 20V/5A (100W)	<ul style="list-style-type: none">Aluminum Alloy ShellFlame Retardant MaterialsThickened Tinned CopperIn-Shell Injection Molding30,000 Times Bending48 Hours Salt Resistance Test
Certification		
<div>CEFCRoHS</div> <div>REACHUKCACB</div>		



PJ-CCC-018 USB 2.0


2 IN 1 PD 100W

Fast Charging/Data Transfer Cable

Length 1.2m/2m

Colour ●

Product Name	Electric Parameters	Product Features
PJ-CCC	Type-C to Type-C 48V/5A 240W	<ul style="list-style-type: none">Aluminum Alloy ShellFlame Retardant MaterialsThickened Tinned CopperIn-Shell Injection Molding30,000 Times Bending48 Hours Salt Resistance Test
Certification		
<div>CEFCRoHS</div> <div>REACHUKCACB</div>		



PJ-MF-001 USB 2.0

3 IN 1 Cable

Fast Charging/Data Transfer Cable

Length 1.2m / 2m

Colour ● ●

Product Name	Electric Parameters	Product Features
PJ-MF-001	USB-A to Lightning/ Type-C/MicroUSB 5V/3A	<ul style="list-style-type: none">Aluminum Alloy ShellFlame Retardant MaterialsThickened Tinned CopperIn-Shell Injection Molding30,000 Times Bending48 Hours Salt Resistance Test
Certification		
<div>CEFCRoHS</div> <div>REACHUKCACB</div>		



PP-AUXC

Type-C to 3.5mm

Audio Cable

Length

1.2m

Colour



Product Name	Electric Parameters	Product Features
PP-AUXC-120	Type-C to DC 3.5MM	<ul style="list-style-type: none">● Embedded DAC Decoder Chip● Excellent Sound Resolution● Low Distortion Rate● In-Car Music Navigation● Aluminum Alloy Shell● PP Braided Cable
Certification		



PP-AUXL

Lightning to 3.5mm

Audio Cable

Length

1.2m

Colour



Product Name	Electric Parameters	Product Features
PP-AUXL-120	Type-C to DC 3.5mm	<ul style="list-style-type: none">● Embedded DAC Decoder Chip● Excellent Sound Resolution● Low Distortion Rate● In-Car Music Navigation● Aluminum Alloy Shell● PP Braided Cable
Certification		



PP-EC-CAUX

Type-C to Aux Audio

Audio Cable

Length

12cm

Colour



Product Name	Electric Parameters	Product Features
PP-EC-CAUX-12-GY	Type-C to 3.5F Cable	<ul style="list-style-type: none">● TPE One-Piece Moulding● 8-segment Coaxial Cable Structure● Support 8K/2-4K/60HZ Display● 40Gbps Transfer Speed● 30,000 Times Bending● 48 Hours Salt Resistance Test
Certification		



PP-EC-LAUX

Lightning to Aux Audio

Audio Cable

Length

12cm

Colour



Product Name	Electric Parameters	Product Features
PP-EC-LAUX-12-GY	Lightning to 3.5F Cable	<ul style="list-style-type: none">● Aluminum Alloy Housing● PP Braided cable● Thickened Tinned copper● In-Shell Injection Molding● 30,000 Times Bending● 48 Hours Salt Resistance Test
Certification		



PP-EC-LLL

Lightning

Audio Dual Function

Lightning Audio + Charge RockStar

Length

15cm

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-EC-LLL-15-GY	Allows you to listen to music, watch videos, use audio navigation or take calls while still charging your phone at maximum speed.
Material:	Aluminum + TPE	
Function:	Supports Charging + Audio Calls	
Power:	5V/2A	Certification





PP-EC-CCC Type-C

Audio Dual Function

Type-C Audio + Charge

Length 15cm

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-EC-CCC-15-GY	Allows you to listen to music, watch videos, use audio navigation or take calls while still charging your phone at maximum speed.
Material:	Aluminum + TPE	
Function:	Supports Charging + Audio Calls	
Power:	20V/3A, PD 60W	Certification CE FC RoHS REACH UK CB



PP-EC-LLAUX Lightning

Audio Dual Function

3.5mm Audio + Charge RockStar

Length 15cm

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-EC-LLAUX-15-GY	Allows you to listen to music, watch videos, use audio navigation or take calls while still charging your phone at maximum speed.
Material:	Aluminum + TPE	
Function:	Supports Charging + Audio Calls	
Power:	5V/2A	Certification CE FC RoHS REACH UK CB



PP-CHDMI01 **4K**

USB-C to HDMI

High Definition Transmission Cable

Length 1.8m

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-CHDMI01	<ul style="list-style-type: none">4K*2K@60Hz UHD ResolutionVideo & Audio SimultaneouslyPlug & Play Driver-FreeDurable & FlexibleWide Compatibility Smartphones
Material:	Aluminum + PVC	
Function:	USB-C to HDMI HD Video Cable	
Resolution:	4K*2K@60Hz	
Colour:	Dark Grey	
		Certification
		<div>CE</div> <div>FC</div> <div>RoHS</div> <div>REACH</div> <div>UKCA</div> <div>CB</div>



PP-LHDMI02 **1080P**

Lightning to HDMI




High Definition Transmission Cable

Length

1.8m

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-LHDMI02	<div><div>1920x1080 @60Hz/1280x720 @60Hz</div><div>Video & Audio Simultaneously</div><div>Plug & Play Driver-Free</div><div>Durable & Flexible</div><div>Simultaneous charging of mobile phones</div></div>
Material:	Aluminum + PVC	
Function:	Lightning to HDMI HD Video Cable	
Resolution:	1920x108060Hz 1280x720 60Hz	
Colour:	Dark Grey	
		<div>Certification</div> <div><div></div><div></div><div></div><div></div><div></div><div></div></div>



PP-DS01

7-IN-1

USB-C HUB

4K & 60Hz

Length

20cm

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-DS01	<ul style="list-style-type: none">HDMI Supports 3840X2160@30HZ Ultra HD ResolutionIt Can Be Connected To An External Display Via An HDMI PortOne USB3.0 And One USB2.0 PortData Transfer Speeds Up T 5Gbps (USB3.0)/480Mbps(USB2.0) Are SupportedSupport USB 2.0 SD/TF Data Transfer
Material:	Aluminum Shell	
Function:	Supports 4K & 60Hz	
Power:	PD 60W	
USB3.0	5Gbps	
		<div>Certification</div> <div><div>CE</div><div>FCC</div><div>RoHS</div></div>

KEEP ORIGINAL CONTROL

Converts wired to wireless seamlessly

Hey, Siri, Navigate to the party



CarPlay



Auto



Android

CarPlay Series



OEM controlknob



Touch screen controls



Steering wheel control



PP-CP01 CarPlay

2-in-1 Wireless Adapter

Full Android System/Wireless CarPlay/Android

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-CP01	<ul style="list-style-type: none"> ● Plug and Play ● Online Upgrade ● Original Car Touch Control ● Run Smoothly ● Automatic Connection ● Low-power Chip ● Voice Control is Quick to Operate ● 5G WIFI Technology, Stable Connection Without Disconnection.
Product Name:	CarPlay Wireless Adapter	
Configuration:	Synchronize Mobile Phone	
Networkl:	Sync Cellular Network	
Material:	Aluminum Alloy+Tempered Glass	
Power Supply:	USB Cable	
Input/Output:	USB-A or Type-C	
Device:	ios/Android	
Connection:	Wired/Wireless	
		Certification <div> </div>



PP-CP02 CarPlay


3-in-1 Wireless Adapter

Full Android System/Wireless CarPlay/Android Auto

Colour



Product Name		Electric Parameters	Product Features
Model:	PP-CP02		<ul style="list-style-type: none">● Plug and Play● Online Upgrade● Original Car Touch Control● Run Smoothly● Automatic Connection● Low-power Chip● Voice Control is Quick to Operate● 5G WIFI Technology, Stable Connection Without Disconnection.
Product Name:	Ai Box for Car and Machine Interconnection		
Configuration:	Synchronize Mobile Phone		
Networkl:	Sync Cellular Network		
Material:	Aluminum Alloy+Tempered Glass		
Power Supply:	USB Cable		
Input/Output:	USB-A or Type-C		
Device:	ios/Android/TF		
Connection:	Wired/Wireless		
Certification			
<div><div>CE</div><div>FCC</div><div>RoHS</div></div>			



Wall Charger Series





12W

USB-A *2 Port Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-12W-UK	<ul style="list-style-type: none"> Small size Intelligent fast charging Environmentally friendly materials High temperature resistant shell Better heat dissipation
Input:	100-240V~ 50-60Hz 0.3A	
Total Output:	12W(Max)	
USB-A1:	5V/2.4A 12W	
USB-A2:	5V/2.4A 12W	
Material:	PC Flame Retardant	Certification
Color:	Black	
Plug:	UK	



UK



US



EU

20W

USB-C Port Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-20W-PDUK/US/EU	<ul style="list-style-type: none"> Small size Intelligent fast charging Fully compatible Better heat dissipation
Input:	100-240V~ 50-60Hz 0.5A	
Total Output:	PD 20W & QC3.0	
USB-C:	5V/3A, 9V/2.25A, 12V/1.5A	
Material:	PC Flame Retardant	
Color:	Black/White	Certification
Plug:	UK/US/EU	



UK



US



EU

20W

USB-C & USB-A Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-20W-PDQCUK/US/EU	<ul style="list-style-type: none"> Small size Intelligent fast charging Dual port output Fully compatible Better heat dissipation
Input:	100-240V~ 50-60Hz 0.5A	
Total Output:	PD 20W & QC3.0	
USB-C:	5V/3A, 9V/2.25A, 12V/1.5A	
USB-A:	9V/2A, 12V/1.5A	
Material:	PC Flame Retardant	Certification
Color:	Black/White	
Plug:	UK/US/EU	



24W

USB-A *2 Port Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-12W-UK	<ul style="list-style-type: none"> Small size Intelligent fast charging Environmentally friendly materials High temperature resistant shell Better heat dissipation
Input:	100-240V~ 50-60Hz 0.3A	
Total Output:	12W(Max)	
USB-A1:	5V/2.4A 12W	
USB-A2:	5V/2.4A 12W	
Material:	PC Flame Retardant	Certification
Color:	Black	
Plug:	UK	



UK



EU

30W

USB-C & USB-A Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-30W-PDQCUC/EU	<ul style="list-style-type: none">● Small size● Intelligent fast charging● Environmentally friendly materials● High temperature resistant shell● Better heat dissipation
Input:	100-240V~ 50-60Hz 0.8A	
Total Output:	PD 30W & QC3.0	
USB-C:	5V/3A, 9V/3A, 12V/2.5A	
USB-A:	6V/3A, 9V/2A, 12V/1.5A	
PPS:	3.3V-11V/3A	Certification
Material:	PC Flame Retardant	
Plug:	UK/EU	



38W

USB-C & USB-A Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-38WPDQCUC	<ul style="list-style-type: none">● Small size● Intelligent fast charging● Dual port fast charging● Fully compatible● Better heat dissipation
Input:	100-240V~ 50-60Hz 1.0A	
Total Output:	USB-C+USB-A=38W(Max)	
USB-C:	5V/3A, 9V/3A, 12V/2.5A	
USB-A:	9V/2A, 12V/1.5A	
Material:	PC Flame Retardant	Certification
Color:	Black	
Plug:	UK	



20W Built-in Data Cable

USB-A+2C Port Charger

Fast Charging

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-20WACC	Having exclusive patented technology for L to C reverse charging, it basically supports fast charging for all mobile phone models on oy market, with constant charging power.
Input:	100-240V~ 50-60Hz 0.5A	
Total Output:	20W(Max)	
USB-C:	5V/3A,9V/2.22A,12V/1.67A	
USB-C:	9V/2.22A,5V/3A	
Material:	PC Flame Retardant	Certification CE FC RoHS REACH UK CA CB
Color:	Black	
Plug:	UK	



30W Built-in Data Cable

USB-A+2C Port Charger

Fast Charging

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-30WACC	Having exclusive patented technology for L to C reverse charging, it basically supports fast charging for all mobile phone models on oy market, with constant charging power.
Input:	100-240V~ 50-60Hz 0.8A	
Total Output:	30W(Max)	
USB-C:	5V/3A,9V/2.22A,12V/1.67A	
USB-C:	9V/2.22A,5V/3A	
USB-A:	5V/3A,9V/2A,12V/1.5A	Certification CE FC RoHS REACH UK CA CB
PPS:	5V-11V/2.7A	
Plug:	UK	



45W Built-in Data Cable

USB-A+2C Port Charger

Fast Charging

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-45WACC	Having exclusive patented technology for L to C reverse charging, it basically supports fast charging for all mobile phone models on oy market, with constant charging power.
Input:	100-240V~ 50-60Hz 0.8A	
Total Output:	45W(Max)	
USB-C:	5V/3A,20.0V/2.25A 45W(Max)	
USB-C:	5V/3A,20.0V/2.25A 45W(Max)	
USB-A:	5V/3A,9V/2A,12V/1.5A 30W(Max)	Certification CE FC RoHS REACH UK CA CB
PPS:	5V-11V/2.4A	
Plug:	UK	



20W Built-in Data Cable

2*USB-C Port Charger

Fast Charging

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-20WCC	Having exclusive patented technology for L to C reverse charging, it basically supports fast charging for all mobile phone models on oy market, with constant charging power.
Input:	100-240V~ 50-60Hz 0.8A	
Total Output:	20W(Max)	
USB-C:	5V/3A,9V/2.22A,12V/1.67A	
Plug:	UK	
		Certification CE FC RoHS REACH UK CA CB



20W

Built-in Data Cable

USB-L & USB-C Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-20WCL	Having exclusive patented technology for L to C reverse charging, it basically supports fast charging for all mobile phone models on oy market, with constant charging power.
Input:	100-240V~ 50-60Hz 0.5A	
Total Output:	20W(Max)	
USB-C:	5V/3A,9V/2.22A,12V/1.67A	
USB-L:	9V/2.22A,5V/3A	
Material:	PC Flame Retardant	Certification
Color:	Black	
Plug:	UK	



30W

Built-in Data Cable

USB-L+1C+1A Port Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-30WCL	Having exclusive patented technology for L to C reverse charging, it basically supports fast charging for all mobile phone models on oy market, with constant charging power.
Input:	100-240V~ 50-60Hz 0.8A	
Total Output:	30W(Max)	
USB-C:	5V/3A,9V/2.22A,12V/1.67A	
USB-L:	9V/2.22A,5V/3A	
USB-A:	5V/3A,9V/2A,12V/1.5A	Certification
PPS:	5V-11V/2.7A	
Plug:	UK	



45W

Built-in Data Cable

USB-L+1C+1A Port Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-45WACL	Having exclusive patented technology for L to C reverse charging, it basically supports fast charging for all mobile phone models on oy market, with constant charging power.
Input:	100-240V~ 50-60Hz 0.8A	
Total Output:	45W(Max)	
USB-C:	5V/3A,20.0V/2.25A 45W(Max)	
USB-L:	5V/3A,20.0V/2.25A 45W(Max)	
USB-A:	5V/3A,9V/2A,12V/1.5A 30W(Max)	Certification
PPS:	5V-11V/2.4A	
Plug:	UK	









12W

2*USB-A Port Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-12WAA	Having exclusive patented technology for L to C reverse charging, it basically supports fast charging for all mobile phone models on oy market, with constant charging power.
Input:	100-240V~ 50-60Hz 0.8A	
Total Output:	12W(Max)	
Plug:	UK	
		Certification
		<div> </div>



20W

Built-in Data Cable

USB-A+1C Port Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-20WAC	Having exclusive patented technology for L to C reverse charging, it basically supports fast charging for all mobile phone models on oy market, with constant charging power.
Input:	100-240V~ 50-60Hz 0.5A	
Total Output:	20W(Max)	
USB-A:	5V/3A,9V/2A,12V/1.5A	
USB-C	5V/3A,9V/2.22A,12V/1.67A	
Material:	PC Flame Retardant	Certification      
Color:	Black	
Plug:	UK	



30W







Built-in Data Cable

USB-A+1C Port Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-30WAC	Having exclusive patented technology for L to C reverse charging, it basically supports fast charging for all mobile phone models on oy market, with constant charging power.
Input:	100-240V~ 50-60Hz 0.8A	
Total Output:	30W(Max)	
USB-A:	5V/3A,9V/2A,12V/1.5A	
USB-C	5V/3A,9V/2A,12V/1.5A	
Material:	PC Flame Retardant	Certification      
Color:	Black	
Plug:	UK	



45W


Built-in Data Cable

USB-A+1C Port Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-45WAC	Having exclusive patented technology for L to C reverse charging, it basically supports fast charging for all mobile phone models on oy market, with constant charging power.
Input:	100-240V~ 50-60Hz 0.8A	
Total Output:	45W(Max)	
USB-A:	5V/3A,9V/2A,12V/1.5A	
USB-C	5V/3A,20.0V/2.25A 45W(Max)	
Material:	PC Flame Retardant	Certification      
Color:	Black	
Plug:	UK	




24W

2*USB-A Port Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-24WAA	Having exclusive patented technology for L to C reverse charging, it basically supports fast charging for all mobile phone models on oy market, with constant charging power.
Input:	100-240V~ 50-60Hz 0.8A	
Total Output:	24W(Max)	
Plug:	UK	
		Certification      



UK



US



EU

30W GaN USB-C Port Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-30W GaN-UK/US/EU	<ul style="list-style-type: none"> Navitas chip Lightweight design Fast charging GaN Technology Low temperature fast charging Compatible with PD/SCP/PPS Multi-protocol
Input:	100-240V ~ 50-60Hz 1.0A	
Total Output:	PD 30W	
USB-C:	5V/3A, 9V/2.25A, 12V/1.5A	
PPS:	3.3V-11V/3A	
Material:	PC Flame Retardant	Certification
Color:	Black/White	
Plug:	UK/US/EU	



65W GaN 2C+1A Port Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-60W2-GaN-UK	<ul style="list-style-type: none"> GaN chip Lightweight design Fast charging GaN Technology Low temperature fast charging Compatible with PD/SCP/PPS Multi-protocol
Input:	100-240V ~ 50-60Hz 1.5A	
Total Output:	65W(Max)	
USB-C:	20V/3.25A, 9V/3A, 12V/3A	
USB-A:	9V/3A, 5V/3A, 12V/3A	
PPS:	3.3V-11V/5A	Certification
Color:	Black	
Plug:	UK	



UK



US



EU

65W GaN 2C+1A Port Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-60W GaN-UK/US/EU	<ul style="list-style-type: none"> Navitas chip Lightweight design Fast charging GaN Technology Low temperature fast charging Compatible with PD/SCP/PPS Multi-protocol
Input:	100-240V ~ 50-60Hz 1.5A	
Total Output:	65W(Max)	
USB-C:	20V/3.25A, 9V/3A, 12V/3A	
USB-A:	4.5V/5A, 5V/4.5A	
PPS:	3.3V-11V/5A	Certification
Color:	Black/White	
Plug:	UK/US/EU	



UK



EU

100W GaN 2C+1A Port Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-100W GaN-UK/EU	<ul style="list-style-type: none"> Navitas chip Lightweight design Fast charging GaN Technology Low temperature fast charging Compatible with PD/SCP/PPS Multi-protocol
Input:	100-240V ~ 50-60Hz 2.5A	
Total Output:	100W(Max)	
USB-C1:	20V/5A, 9V/3A, 12V/3A	
USB-C2:	20V/3.25A, 9V/3A, 12V/3A	
USB-A:	4.5V/5A, 5V/4.5A, 9V/3A	Certification
Color:	Black/White	
Plug:	UK/EU	



Car Charger Series





12W 01

USB-A*2 Car Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-CC01	<ul style="list-style-type: none"> Mini Size Dual USB-A Safe Charging Current overvoltage protection
Input:	DC 12-24V	Certification
Total Output:	12W(Max)	
USB-A:	5V/2.4A	
Ports:	Dual USB Ports	
Material:	PC Flame Retardant	
Color:	Black	
Size:	24*24*38mm	



24W 02

USB-A *2 Car Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-CC02	<ul style="list-style-type: none"> Mini Size Dual USB-A Safe Charging Current overvoltage protection
Input:	DC 12-24V	Certification
Total Output:	24W(Max)	
USB-A:	5V/4.8A	
Ports:	Dual USB Ports	
Material:	PC Flame Retardant	
Color:	Black	
Size:	25*25*45mm	



38W 03

1C+1A Car Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-CC03	<ul style="list-style-type: none"> Mini Size Dual USB-A Safe Charging Current overvoltage protection
Input:	DC 12-24V	Certification
Total Output:	38W(Max)	
USB-C:	5V/3A, 9V/2.22A, 12V/1.67A	
USB-A:	3.6-6.5V/3A, 9V/2A	
Material:	PC Flame Retardant	
Color:	Black	
Size:	35*26*61mm	



60W 04

2C+1A Car Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-CC04	<ul style="list-style-type: none"> Fast charging on every port MacBook & iPad & iPhone Intelligent Host Chip
Input:	DC 12-24V	Certification
Total Output:	60W(Max)	
USB-C1:	5V/3A, 9V-3A, 20V/1.5A	
USB-A:	4.5V/5A, 9V-1.5A, V/3A	
PPS:	3.3-11V/3A	
Color:	Black	
Size:	79.7*35.2*22.6mm	



51W



05

1C+1A Car Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-CC05	<ul style="list-style-type: none"> Mini Size Dual USB-A Safe Charging Current overvoltage protection
Input:	DC 12-24V	
Total Output:	51W(Max)	
USB-C:	5V/3A,9V/3A,12V/2.25A	
USB-C:	5V/3A,9V/2A,12V/1.5A	
PPS:	3.3V-11V/3A	Certification  
Color:	Black	
Size:	35*25*61mm	



120W




06

4 IN 1 Car Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-CC06	<ul style="list-style-type: none"> Built-in safety fuse Voltage display Retractable cables Short circuit protection Charge 4 device at the same time
Input:	DC 12-24V	
Total Output:	120W(Max)	
USB-A:	5V/2.4A	
USB-C	5V/3A,9V/3A,12V/2.25A	
Type-C Cable:	PD 100W Super fast charge	Certification   
Lightning Cable:	6V/2.4A 14W	
Tension Line:	80CM	
Size:	139*65*35.5mm	



Notice:
USB-C and Lightning Port Cant Use Simultaneously.




80W 07


USB-L+1C+1A Port Charger

Fast Charging+Built-in C to L Data Cable

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-CC07	<ul style="list-style-type: none">Built-in safety fuseVoltage displayRetractable cablesShort circuit protectioCharge 4 device at the same time
Input:	DC 12-24V	
Total Output:	80W(Max)	
USB-A:	5-12V-3A,20V-2.25A (Max 45W)	
USB-C	5V/3A,9V/3A,12V/2.25A (max 30W)	
Lightning:	5V/3A,9V/3A,12V/2.25A (Max 30W)	Certification   
PPS:	PD30W+QC45W	
Tension Line:	100CM	
Size:	72*35*35mm	



Travel Charger Series





45W

2C+2A Travel Charger

100-250V 2000W(Max)

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-SC011	<ul style="list-style-type: none"> 2000W High Power Simultaneous use of 6 devices Meet different national standards Compact and portable Dual Fuse Eight protection
Input:	100-250V~ 50-60Hz 1.25A	
Total Output:	250V/8A 2000W(Max) 100V/8A 800W(Max)	
USB-C:	5V/3A,9V/2A,20V/2.25A 45W(Max)	
USB-A:	9V/2A,5V/3A,12V/1.5A 18W(Max)	
USB Output:	5V/3A(Total)	Certification
Color:	Black	
Plug:	UK/EU/AUS/US	



20W

2C+2A Travel Charger

100-250V 2000W(Max)

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-SC012	<ul style="list-style-type: none"> 2000W High Power Simultaneous use of 5 devices Meet different national standards Compact and portable Dual Fuse Eight protection
Input:	100-250V~ 50-60Hz 1.25A	
Total Output:	250V/8A 2000W(Max) 110V/8A 880W(Max)	
USB-C:	5V/3A,9V/2.22A,12V/1.67A	
USB-A:	9V/2A,5V/3A,12V/1.5A	
USB Output:	5V/3A(Total)	Certification
Color:	Black	
Plug:	UK/EU/AUS/US	



20W

1C+2A Port Charger

100-250V/13A 3250W(Max)

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-SC013	<ul style="list-style-type: none"> 3250W High Power Simultaneous use of 6 devices Multiple Outputs Expansion Compact and portable Dual Fuse Eight protection
Input:	100-250V~ 50-60Hz 1.25A	
Total Output:	250V/13A 3250W(Max)	
USB-C:	5V/3A,9V/2.22A,12V/1.67A	
USB-A:	9V/2A,5V/3A,12V/1.5A	
USB Output:	5V/3A(Total)	Certification
Color:	Black	
Plug:	UK	



20W

USB-A*4 Port Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HC01-UK	<ul style="list-style-type: none"> Navitas chip Lightweight design Fast charging GAN Technology Low temperature fast charging Compatible with PD/SCP/PPS Multi-protocol
Input:	AC 100-240V-50-60Hz 4.5A	
Total Output:	DC 5V/5A	
Ports:	4*USB Ports	
Material:	PC Flame Retardant	
Color:	White	Certification
Plug:	UK	






45W

2C+2A Travel Charger

100-250V 2000W(Max)

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-SC014	<ul style="list-style-type: none">● 1840W High Power● Simultaneous use of 5 devices● Meet different national standards● Compact and portable● Dual Fuse Eight protection
Input:	100-230V~ 50-60Hz 1.25A	
Total Output:	230V/8A 1840W(Max) 110V/8A 880W(Max)	
USB-C:	15V/3A,9V/3A,20V/2.25A	
USB-A:	9V/2A,5V/3A,12V/1.5A	
USB Output:	45W(Max)	Certification   
Color:	Black	
Plug:	UK/EU/AUS/US	



3250W



PD20W


Multi-Function Plug

100-250V 3250W(Max)

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-SC010	<ul style="list-style-type: none">● 3250W High Power● Simultaneous use of 8 devices● 3M Cable● Overload Protection● Protects Against Power Surges
Input:	100-250V~ 50-60Hz 1.25A	
Total Output:	250V/8A 3250W(Max)	
USB-C:	15V/3A,9V/2.22A,12V/1.5A	
USB-A1/A2:	5V/2.4A	
USB-A3:	5V/3A,9V2A,12V/1.5A	Certification  
Color:	White	
Plug:	UK	



Power Bank Series



Tesla Battery Core





10000mAh

1C+1A Power Bank

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-PB20WPD03	<ul style="list-style-type: none">● Mini Size● Dual USB-A● Safe Charging● Tesla Battery Core● Current overvoltage protection
Input:	5V/3A,9V/2A,12V/1.5A	
Capacity:	10000mAh	
USB-C:	PD 20W	
USB-A:	5V/3A,9V/2A,12V/1.5A	
Weight:	175G	Certification   
Color:	Black	
Size:	79*56.5*25.8mm	



20000mAh

1C+1A Power Bank

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-PB20WPD03	<ul style="list-style-type: none">● Mini Size● Dual USB-A● Safe Charging● Tesla Battery Core● Current overvoltage protection
Input:	5V/3A,9V/2A,12V/1.5A	
Capacity:	10000mAh	
USB-C:	5V/3A,9V/2.2A,12V/1.6A PD 20W	
USB-A:	5V/3A,9V/2A,12V/1.5A	
Weight:	335G	Certification   
Color:	Black	
Size:	149*56.5*25.8mm	



PP-IPXR 3690mAh

High Capacity Li-ion Battery

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-IPXR	High Capacity Battery Integrated Circuit Protection
Rated Voltage	3.8V/12.4Wh	
Charge Limited Voltage:	4.35v	
Rated Capacity:	3690mAh	
Material:	Li-ion Battery	

Certification



PP-IPX 3250mAh

High Capacity Li-ion Battery

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-IPXR	High Capacity Battery Integrated Circuit Protection
Rated Voltage	3.8V/14.0Wh	
Charge Limited Voltage:	4.35v	
Rated Capacity:	3250mAh	
Material:	Li-ion Battery	

Certification





PP-IP11

3680mAh

High Capacity Li-ion Battery

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-IP11	<ul style="list-style-type: none"> High Capacity Battery Integrated Circuit Protection
Rated Voltage	3.9V C/I 4.3Wh	
Charge Limited Voltage:	4.45v	
Rated Capacity:	3680mAh	
Material:	Li-Ion Battery	Certification



PP-IP11PRO

3620mAh

High Capacity Li-ion Battery

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-IP11PRO	<ul style="list-style-type: none"> High Capacity Battery Integrated Circuit Protection
Rated Voltage	3.8V C/I 3.7Wh	
Charge Limited Voltage:	4.4v	
Rated Capacity:	3620mAh	
Material:	Li-Ion Battery	Certification



PP-IP11PM

4780mAh

High Capacity Li-ion Battery

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-IP11PM	<ul style="list-style-type: none"> High Capacity Battery Integrated Circuit Protection
Rated Voltage	3.8V C/I 8.1Wh	
Charge Limited Voltage:	4.35v	
Rated Capacity:	4780mAh	
Material:	Li-Ion Battery	Certification



%JTQPTJOH PG UIF CBUUFSZ

%JTQPTF PG CBUUFSJFT BDDPSEJOH UP MPDBM SFHVMBUJPO

1MFBTF SFDZDMF XIFO QPTTJCMF. %P OPI EJQTPTF BT IPVTFIPME XBUTF

OS SFGFSFODF UIF 3FDIBSHFBCMF BBUUFSZ 3FDZMJOH1SPHSBNNF GSPN



PP-IP13 3530mAh

High Capacity Li-ion Battery

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-IP13	<ul style="list-style-type: none">High Capacity BatteryIntegrated Circuit Protection <p>Certification</p> <p>CE</p>
Rated Voltage	3.87V/13.1Wh	
Charge Limited Voltage:	4.47v	
Rated Capacity:	3530mAh	
Material:	Li-Ion Battery	



PP-IP13PRO 3400mAh

High Capacity Li-ion Battery

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-IP13PRO	<ul style="list-style-type: none">High Capacity BatteryIntegrated Circuit Protection <p>Certification</p> <p>CE</p>
Rated Voltage	3.87V/12.7Wh	
Charge Limited Voltage:	4.47v	
Rated Capacity:	3400mAh	
Material:	Li-Ion Battery	



PP-IP13PM 4780mAh

High Capacity Li-ion Battery

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-IP13PM	<ul style="list-style-type: none">High Capacity BatteryIntegrated Circuit Protection <p>Certification</p> <p>CE</p>
Rated Voltage	3.85V/18.4Wh	
Charge Limited Voltage:	4.47v	
Rated Capacity:	4780mAh	
Material:	Li-Ion Battery	



%JTQPTJOH PG UIF CBUUFSZ

%JTQPTF PG CBUUFSJFT BDDPSEJOH UP MPDBM SFHVMBUJPOT

1MFBTF SFDZMF XIFO QPTTJCMF. %P OPU EJTOPTF BT IPVTFIPME XBTUF

OS SFGFSODF UIF 3FDIBSHFBCMF BBUUFSZ 3FDZDUJOH1SPHSBNNF GSPN





PP-IP14 3670mAh

High Capacity Li-ion Battery

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-IP14	<ul style="list-style-type: none">High Capacity BatteryIntegrated Circuit Protection <p>Certification</p> <p>CE</p>
Rated Voltage	3.87V/14.2Wh	
Charge Limited Voltage:	4.47v	
Rated Capacity:	3670mAh	
Material:	Li-Ion Battery	



PP-IP14PRO 3400mAh

High Capacity Li-ion Battery

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-IP14PRO	<ul style="list-style-type: none">High Capacity BatteryIntegrated Circuit Protection <p>Certification</p> <p>CE</p>
Rated Voltage	3.87V/13.4Wh	
Charge Limited Voltage:	4.47v	
Rated Capacity:	3480mAh	
Material:	Li-Ion Battery	




PP-IP14PM 4780mAh

High Capacity Li-ion Battery


Colour

Product Name	Electric Parameters	Product Features
Model:	PP-IP14PM	<ul style="list-style-type: none">High Capacity BatteryIntegrated Circuit Protection <p>Certification</p> <p>CE</p>
Rated Voltage	3.87V/16.4Wh	
Charge Limited Voltage:	4.47v	
Rated Capacity:	4850mAh	
Material:	Li-Ion Battery	



%JTQPTF PG CBUFSJFT BDDPSEJOH UP MPDBM SFHVMBUJOPOT
1MFBTF SFDZDMF XIFO QPTTJCMF. %P OPU EJQTPTF BT IPVTFIPME XBTUF
OS SFGFSFODF UIF 3FDIBSHFBCMF BBUIFSZ 3FDZDMJOH1SPHSBNNF GSPN





Car Bracket Series





360° 01

Rotatable Car Bracket

Supports Multi-stage Adjustment

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HD01	<ul style="list-style-type: none"> Wider Clamping Arm Design
Material:	PC+ABS+Silicone	<ul style="list-style-type: none"> Pull-down design
Weight:	158G	<ul style="list-style-type: none"> Fits most mobile phone sizes
Color:	Black	<ul style="list-style-type: none"> Exclusive Patent
Description:	Compatible with all smartphones up to 6.7 inches Telescoping arm adjusts from 4.13 inches to 5.75 inches, adjustable 240 degrees for optimal viewing angle	



360° 02

Magnets Car Bracket

Supports Multi-stage Adjustment

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HD02	<ul style="list-style-type: none"> Free angle adjustment
Material:	PC+ABS+Silicone	<ul style="list-style-type: none"> Magnetic stand
Weight:	104G	<ul style="list-style-type: none"> Foldable for storage
Color:	Black	<ul style="list-style-type: none"> Suitable for mobile phones/tablets
Description:	Foldable design, easy to carry with you.120° adjustable to optimum angle. Wide compatibility, suitable for 4-13 inches phones and tablets. Simple but stylish design	



15W 03

Magnetic Charging Bracket

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HD03	<ul style="list-style-type: none"> Built-in 6 N45 magnets
Material:	ABS+Silicone	<ul style="list-style-type: none"> 360 degree adjustable rotation
Weight:	74G	<ul style="list-style-type: none"> 3M adhesive magnetic pad
Output:	15W/10W/7.5W/5W	<ul style="list-style-type: none"> Exclusive Patent
Color:	Black	
Description:	The chuck can be used in the outlet or air outlet, say goodbye to cumbersome, to achieve extremely fast installation; it also has a charging function	



Soft 04

Gripper Car Bracket

Supports Multi-stage Adjustment

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HD04	<ul style="list-style-type: none"> Soft silicone material
Material:	Metal Parts+Silicone	<ul style="list-style-type: none"> H-shape design increases bonding area
Weight:	163G	<ul style="list-style-type: none"> Good heat resistance and heat dissipation
Color:	Black	<ul style="list-style-type: none"> Suitable for most mobile phone models
Description:	The large clamp arm bracket is stable and anti slip, and can be installed on the center console of a car	



360° 05 Magnets Car Bracket

Supports Multi-stage Adjustment

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HD05	<ul style="list-style-type: none"> ● Built-in 6 N45 magnets ● 360 degree adjustable rotation ● 3M adhesive magnetic pad ● Exclusive Patent
Material:	PC+ABS+Silicone	
Weight:	71.5G	
Color:	Black	
Description:	Foldable design, easy to carry with you.120° adjustable to optimum angle. Wide compatibility, suitable for 4-13 inches phones and tablets. Simple but stylish design	



360° 06 Magnets Car Bracket

Supports Multi-stage Adjustment

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HD06	<ul style="list-style-type: none"> ● Strong Magnet ● Solid Adsorption ● Occupy No Space ● Easy To Carry
Material:	PC+ABS+Silicone	
Weight:	25.9G	
Color:	Black	
Description:	Foldable design, easy to carry with you.120° adjustable to optimum angle. Wide compatibility, suitable for 4-13 inches phones and tablets. Simple but stylish design	



360° 07 Magnets Car Bracket

Supports Multi-stage Adjustment

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HD07	<ul style="list-style-type: none"> ● Strong Magnet ● solid Adsorption ● Occupy No Space ● 360° Degree Rotation
Material:	PC+ABS+Silicone	
Weight:	104G	
Color:	Black	
Description:	Foldable design, easy to carry with you.120° adjustable to optimum angle. Wide compatibility, suitable for 4-13 inches phones and tablets. Simple but stylish design	



360° 08 Magnets Car Bracket

Supports Multi-stage Adjustment

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HD08	<ul style="list-style-type: none"> ● Free angle adjustment ● Magnetic stand ● Foldable for storage ● Suitable for mobile phones/tablets
Material:	PC+ABS+Silicone	
Weight:	104G	
Color:	Black	
Description:	Foldable design, easy to carry with you.120° adjustable to optimum angle. Wide compatibility, suitable for 4-13 inches phones and tablets. Simple but stylish design	



360°

09

Magnets Car Bracket

Supports Multi-stage Adjustment

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HD09	<ul style="list-style-type: none">● Strong Magnet● Solid Adsorption● Occupy No Space● Easy To Carry
Material:	PC+ABS+Silicome	
Size:	65.5*21*17.5mm	
Color:	Black	
Description:	Foldable design, easy to carry with you.360° adjustable to optimum angle. Wide compatibility, suitable for 4-13 inches phones and tablets. Simple but stylish design	



Phone Bracket Series





360° 01

Aluminium Bracket

Supports Multi-stage Adjustment

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-PH01	<ul style="list-style-type: none"> Strong suction power Multi-angle easy rotation Suitable for mobile phone/iPad Stylish, mini and lightweight Can be turned into a car mount
Material:	Aluminium	
Weight:	75G	
Color:	Silver grey	
Description:	Foldable design, easy to carry around. 360° Adjustable to the best angle High compatibility, Suitable for 4-13 inch Simple yet stylish design for mobile phones and tablets	



360° 02

Titanium Bracket

Supports Multi-stage Adjustment

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-PH02	<ul style="list-style-type: none"> Strong suction power Multi-angle easy rotation Suitable for mobile phone/iPad Stylish, mini and lightweight Can be turned into a car mount
Material:	Titanium	
Weight:	20G	
Color:	Black	
Description:	Foldable design, easy to carry around. 360° Adjustable to the best angle High compatibility, Suitable for 4-13 inch Simple yet stylish design for mobile phones and tablets	



Mini 03

Mobile Phone Holder

Supports Multi-stage Adjustment

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-PH03	<ul style="list-style-type: none"> Lightweight and easy to carry Non-slip wear-resistant material For mobile phone and iPad to catch up with TV series
Material:	PC+ABS+Silicone	
Weight:	45G	
Color:	Black	
Description:	Foldable design, easy to carry with you. 120° adjustable to optimum angle. Wide compatibility, suitable for 4-13 inches phones and tablets. Simple but stylish design	



360° 04

Magnets Car Bracket

Supports Multi-stage Adjustment

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-PH04	<ul style="list-style-type: none"> Strong suction power Multi-angle easy rotation Suitable for mobile phone/iPad Stylish, mini and lightweight Can be turned into a car mount
Material:	Aluminium	
Weight:	104G	
Color:	Black	
Description:	Foldable design, easy to carry with you. 120° adjustable to optimum angle. Wide compatibility, suitable for 4-13 inches phones and tablets. Simple but stylish design	



Soft 05

Magnetic Phone Bracket

Supports Multi-stage Adjustment

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-PH05	<ul style="list-style-type: none">● Strong suction power● Soft, no cuts● Multi-angle easy swivel● Suitable for mobile phones/iPads● Stylish, mini and lightweight
Material:	Silicone	
Weight:	16.2G	
Color:	Black/Silver/Dark Blue/Purple	
Description:	Five-Layer structure Finger control farewell hand slip, Applicable to iP12.13.	Certification <div>REACH</div> <div>RoHS</div>
	14.15 series mobile phones Suitable for mobile phone case with magnetic function	



Soft 06


Retractable Phone Bracket

Supports Multi-stage Adjustment


Colour



Product Name	Electric Parameters	Product Features
Model:	PP-PH06	<ul style="list-style-type: none">● Adjustable Flexible Finger Grip● Self Standing (Horizontal/Vertical)● Easy & Safe for one hand operation● One finger is enough to carry the phone● Selfie? No Problem
Material:	TPU+Stainless steel+ Genuine 3M glue	
Size:	81*25*4mm	
Color:	Black/Silver/Dark Blue/Purple	
Description:	Phone Grip Holder, Finger Cell Phone Grip, Silicone Phone Finger Strap, Telescopic Mobile Phone Holder for All Smartphones (4 Colors)	
		<div>Certification</div> <div><div>REACH</div><div>RoHS</div></div>



Headphones Series





PP-HP05-GY

Wireless Headphones

OWS Headphones Hi-Fi Sound

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HP05-GY	<ul style="list-style-type: none">• Soundproof sponge• Support NTC temperature control• High cost performance• It can be rotated and folded• Active noise reduction• High quality High sound quality• Call noise reduction• With 3.5mm audio jack
Wireless Version:	V5.3	
Chip:	JL7006F4	
Horn Size:	40mm	
Horn Impedance:	32Ω	
Frequency Range:	20Hz-20KHz	
Sensitivity:	105dB +/- 3dB @1KHz	
Battery Capacity:	800mAh	
Charging Time:	2 hours	
Playback Time:	60 hours	
Connection Play:	46 hours	Certification 
Distance:	10m	
Charging Cable:	Type-C	




PP-HP01-WE

Wireless Headphones

OWS Headphones Hi-Fi Sound

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HP01-WE	<ul style="list-style-type: none">• Unique Appearance• Easy to Carry• High Cost Performance• Type C Charging Port• Call Noise Reduction• Support NTC temperature control <p>Certification</p> 
Wireless Version:	V5.3	
Chip:	JL7026	
Horn Size:	40mm	
Horn Impedance:	32Ω	
Frequency Range:	20Hz-20KHz	
Sensitivity:	103dB +/-3dB	
Battery Capacity:	400mAh	
Charging Time:	3.5 hours	
Playback Time:	55 hours	
Distance:	10m	
Charging Cable:	Type-C	




PP-HP02-KI

Wireless Headphones

OWS Headphones Hi-Fi Sound

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HP02-KI	<ul style="list-style-type: none">• Unique Appearance• Easy to Carry• High Cost Performance• Type C Charging Port• Call Noise Reduction• Support NTC temperature control <p>Certification</p> 
Wireless Version:	V5.3	
Chip:	JL7026	
Horn Size:	40mm	
Horn Impedance:	32Ω	
Frequency Range:	20Hz-20KHz	
Sensitivity:	103dB +/-3dB	
Battery Capacity:	400mAh	
Charging Time:	3.5 hours	
Playback Time:	55 hours	
Distance:	10m	
Charging Cable:	Type-C	



PP-HP03-BK

Wireless Headphones

OWS Headphones Hi-Fi Sound

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HP03-BK	<ul style="list-style-type: none">• Soundproof sponge• Support NTC temperature control• High cost performance• It can be rotated and folded• Active noise reduction• High quality High sound quality• Call noise reduction• With 3.5mm audio jack <p>Certification</p> 
Wireless Version:	V5.3	
Chip:	JL7006F4	
Horn Size:	40mm	
Horn Impedance:	32Ω	
Frequency Range:	20Hz-20KHz	
Sensitivity:	105dB +/-3dB @1KHz	
Battery Capacity:	800mAh	
Charging Time:	2 hours	
Playback Time:	60 hours	
Distance:	10m	
Charging Cable:	Type-C	



PP-HP04-BK

Wireless Headphones

OWS Headphones Hi-Fi Sound

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HP04-BK	<ul style="list-style-type: none">• Unique Appearance• Easy to Carry• High Cost Performance• Type C Charging Port• Call Noise Reduction• Support NTC temperature control <p>Certification</p> 
Wireless Version:	V5.3	
Chip:	JL7006F4	
Horn Size:	40mm	
Horn Impedance:	32Ω	
Frequency Range:	20Hz-20KHz	
Sensitivity:	105dB +/-3dB @1KHz	
Battery Capacity:	800mAh	
Charging Time:	2 hours	
Playback Time:	60 hours	
Distance:	10m	
Charging Cable:	Type-C	



PP-BT08 BT5.4

Ear-Hook Noise Headphones

ENC intelligent Noise Cancellation

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-BT08	<ul style="list-style-type: none"> 4 hours of continuous listening 400mAh battery capacity Dual microphone for clearer calls ENC intelligent noise cancellation Charging 5 minutes can be used for 150 minutes
Wireless Version:	V5.4	
Wireless Frequency:	2.402GHz-2.480GHz	
Support Wireless:	A2ZDP, AVRCP, HSP, HFP	
Music Playback Time:	7.5 hours	
Talk Time:	4 hours	Certification <div> </div>
Headset Battery:	3.7V, 50mAh	
Speaker Unit:	616.2mm	
Charging Case:	3.7V, 400mAh	
Charging Time:	2 hours	
Charging Voltage:	DC 5V-300mA	
Battery Cycle Life:	2300 times charge/discharge cycle	
Charging Interface:	Type-C	



PP-BT01

5.1BT

Sports Headset

In-Ear Headset

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-BT01	<ul style="list-style-type: none">● Hi-Fi Sound● Built-in Microphone● Up to 120 Hours Stand By● Durable & Lightweight● Flexible Wire
Material:	Silicone	
Battery:	105mAh	
Waterproof:	IPX-4	
Charging	Type-C	
Playing Time:	6H	
Rated Power:	3mW	
Color:	Black	



PP-BT04 5.1BT

TWS Wireless Headset

Supports Wireless Charging & Lightning Port

Colour ☐

Product Name	Electric Parameters	Product Features
Model:	PP-BT04	<ul style="list-style-type: none"> 1:1 Original Model 120H Standby Time Wired & Wireless Dual Charging Strong Signal & Stable Connection Low Power Consumption & Long Battery Life
BT version:	V5.1	Certification
Range:	10m	
Speaker:	13mm	
Rated Power:	3mW	
Battery:	Earphone 30mAh*2	
Charging Case:	320mAh	
Playing Time:	4-5H	



PP-BT05 5.3BT

In-ear Wireless Headset

Supports Wireless Charging & Lightning Port

Colour ☐

Product Name	Electric Parameters	Product Features
Model:	PP-BT05	<ul style="list-style-type: none"> 1:1 Original Model 50H Standby Time Wired & Wireless Dual Charging Strong Signal & Stable Connection Low Power Consumption & Long Battery Life
BT version:	V5.3	Certification
Range:	10m	
Speaker:	13mm	
Rated Power:	3mW	
Battery:	Earphone 28mAh*2	
Charging Case:	250mAh	
Playing Time:	4-5H	



PP-BT06 5.3BT

2 IN 1 Wireless Headset

Supports Wireless Charging & Type-C Port

Colour ☐

Product Name	Electric Parameters	Product Features
Model:	PP-BT06	<ul style="list-style-type: none"> ENC Noise Reduction DUAL Microphone For Better Call Hi-Fi Stereo Sound With Bass 90Hrs Standby Waterproof Technology: IPX-4
BT version:	V5.3	Certification
Range:	10m	
Speaker:	13mm	
Rated Power:	3mW	
Battery:	Earphone 25mAh*2	
Charging Case:	400mAh	
Playing Time:	2.5H	



PP-BT07 5.3BT

Wireless Headset

5.3BT Version/300mAh Charging Box

Colour ☐

Product Name	Electric Parameters	Product Features
Model:	PP-BT07	<ul style="list-style-type: none"> High Fidelity Stereo Sound Inductive touch Two Headphones Free switching
BT version:	V5.3	Certification
Range:	10m	
Speaker:	13mm	
Rated Power:	3mW	
Battery:	Earphone 30mAh*2	
Charging Case:	300mAh	
Playing Time:	4-5H	



PP-HF01-AUX

3.5mm Wired Headset

3.5mm & Semi-In-Ear Headset

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HF01-AUX	<ul style="list-style-type: none">● Hi-Fi Stereo● High Definition Microphone● Free switching for music and calls● Compatible with a wide range of devices <p>Certification</p> <div><div>CE</div><div>FC</div><div>RoHS</div><div>REACH</div><div>UK CA</div><div>CB</div></div>
Frequency:	20Hz - 20kHz	
Range:	10m	
Speaker:	14mm	
Rated Power:	2mW	
Impedance:	32Ω ±5 Ω	
Length:	1.1m	
Pluy:	3.5mm	



PP-HF01-C

Type-C Wired Headset

Type-C & Semi-In-Ear Headset

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HF01-C	<ul style="list-style-type: none">● Hi-Fi Stereo● High Definition Microphone● Free switching for music and calls● Compatible with a wide range of devices <p>Certification</p> <div><div>CE</div><div>FC</div><div>RoHS</div><div>REACH</div><div>UK CA</div><div>CB</div></div>
Frequency:	20Hz - 20kHz	
Range:	10m	
Speaker:	14mm	
Rated Power:	2mW	
Impedance:	32Ω ±5 Ω	
Length:	1.1m	
Play:	Type-C	



PP-HF02-AUX

3.5mm Wired Headset

3.5mm & In-Ear Headset

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HF02-AUX	<ul style="list-style-type: none">● Hi-Fi Stereo● High Definition Microphone● Free switching for music and calls● Compatible with a wide range of devices <p>Certification</p> <div><div>CE</div><div>FC</div><div>RoHS</div><div>REACH</div><div>UK CA</div><div>CB</div></div>
Frequency:	20Hz - 20kHz	
Range:	10m	
Speaker:	14mm	
Rated Power:	2mW	
Impedance:	16Ω ±5 Ω	
Length:	1.1m	
Pluy:	3.5mm	



PP-HF02-C

Type-C Wired Headset

Type-C & In-Ear Headset

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HF02-C	<ul style="list-style-type: none">● Hi-Fi Stereo● High Definition Microphone● Free switching for music and calls● Compatible with a wide range of devices <p>Certification</p> <div><div>CE</div><div>FC</div><div>RoHS</div><div>REACH</div><div>UK CA</div><div>CB</div></div>
Frequency:	20Hz - 20kHz	
Range:	10m	
Speaker:	14mm	
Rated Power:	2mW	
Impedance:	16Ω ±5 Ω	
Length:	1.1m	
Play:	Type-C	









PP-HF01-C

Lightning Wired Headset

Lightning & Semi-In-Ear Headset

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HF01-L	<ul style="list-style-type: none">● Hi-Fi Stereo● High Definition Microphone● Free switching for music and calls● Compatible with a wide range of devices
Frequency:	20Hz - 20kHz	
Range:	10m	
Speaker:	14mm	
Rated Power:	2mW	
Impedance:	$32\Omega \pm 5\Omega$	
Length:	1.1m	
Pluy:	Lightning	Certification      



PP-HF03-AUX

3.5mm Wired Headset

3.5mm & Semi-In-Ear Headset

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HF03-AUX	<ul style="list-style-type: none">● Hi-Fi Stereo● High Definition Microphone● Free switching for music and calls● Compatible with a wide range of devices <p>Certification</p> <div><div>CE</div><div>FC</div><div>RoHS</div><div>REACH</div><div>UK CA</div><div>CB</div></div>
Frequency:	20Hz - 20kHz	
Range:	10m	
Speaker:	14mm	
Rated Power:	2mW	
Impedance:	32 Ω \pm 5 Ω	
Length:	1.1m	
Pluy:	3.5mm	



PP-HF03-C


Type-C Wired Headset

Type-C & Semi-In-Ear Headset

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HF03-C	<ul style="list-style-type: none">● Hi-Fi Stereo● High Definition Microphone● Free switching for music and calls● Compatible with a wide range of devices <p>Certification</p> <div><div>CE</div><div>FC</div><div>RoHS</div><div>REACH</div><div>UK CA</div><div>CB</div></div>
Frequency:	20Hz - 20kHz	
Range:	10m	
Speaker:	14mm	
Rated Power:	2mW	
Impedance:	32 Ω \pm 5 Ω	
Length:	1.1m	
Pluy:	Type-C	



Mobile Phone Case Film Series





7 IN 1 Shell Film Set

iPhone Protective Kit

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-S-iPhone(Series)	<ul style="list-style-type: none"> Protect Mobile Phone ScreenScratch-Resistant Privacy Protection High Transparency Anti-Drop Anti-Yellowing TPU
Material:	TPU+PC+Tempered Glass	
Object:	1,Mobile Phone Case 2, (HD/Privacy) Film 3,Lens Film 4,Stand*2 5,Phone Back Film 6,Magnetic Holder 7,Alcohol Bag	Certification CE RoHS



6 IN 1 iP16 Shell Film Sets

iPhone Protective Kit

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-S6G-iP16 PP-S6G-iP16PLUS PP-S6G-iP16PRO PP-S6G-iP16PROMAX PP-S6G-iP15PROMAX	<ul style="list-style-type: none"> Protect Mobile Phone ScreenScratch-Resistant Privacy Protection High Transparency Anti-Drop Anti-Yellowing TPU
Material:	TPU+PC+Tempered Glass	
Object:	1,Mobile Phone Case 2, (HD/Privacy) Glass Film 3,Lens Film 4,Phone Back Film 5,Magnetic Holder 6,Alcohol Bag	Certification CE RoHS



5 IN 1 iP16 Shell Film Sets

iPhone Protective Kit

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-S5G-iP16PROMAX PP-S5G-iP16PROMAX-P PP-S5G-iP14PROMAX PP-S5G-iP14PROMAX-P	<ul style="list-style-type: none"> Protect Mobile Phone ScreenScratch-Resistant Privacy Protection High Transparency Anti-Drop Anti-Yellowing TPU
Material:	TPU+PC+Tempered Glass	
Object:	1,Mobile Phone Case 2, (HD/Privacy) Glass Film 3,Lens Film 4,Phone Back Film 5,Magnetic Holder 6,Alcohol Bag	Certification CE RoHS



3 IN 1 iP15 Shell Film Set

iPhone Protective Kit

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-S2-iPhone(Series)	<ul style="list-style-type: none"> Protect Mobile Phone ScreenScratch-Resistant Privacy Protection High Transparency Anti-Drop Anti-Yellowing TPU
Material:	TPU+PC+Tempered Glass	
Object:	1,Mobile Phone Case 2, (HD/Privacy) Film 3,Lens Film 4,Stand*2 5,Phone Back Film 6,Magnetic Holder 7,Alcohol Bag	Certification CE RoHS





6 IN 1 **Magnetic**

iP16 Shell Film Sets

iPhone Protective Kit

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-S6-IP16PROMAX-M PP-S6-IP16PRO-M PP-S6-IP15PROMAX-M PP-S6-IP15PRO-M	<ul style="list-style-type: none">● Protect Mobile Phone● ScreenScratch-Resistant● Privacy Protection● High Transparency● Anti-Drop● Anti-Yellowing TPU
Material:	TPU+PC+Tempered Glass	
Object:	1,Magnetic Phone Case 2, HD TPE Protective Film 3, Privacy Glass Tempered Film 4, Lens film 5, Mobile Phone Back Film 6, Alcohol Bag	Certification  



HD Glass

Mobile Phone Film

iPhone Protective

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-CF-iPhone(Series)	<ul style="list-style-type: none">● HD High Transmittance 6H● Color Anti-Snooping● Anti-Fingerprint, Anti-Oil● Flexible PET, can Be Wound, Never Broken Edge● Eye Protection, Filter 95% UV and 80% Blue Light● Scratch Resistant <p>Certification</p> <div></div>
Material:	PET	
Hardness:	9H	



Privacy Glass

Mobile Phone Film

iPhone Protective

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-AF-iPhone(Series)	<ul style="list-style-type: none">● Protect Mobile Phone● ScreenScratch-Resistant● Privacy Protection● High Transparency● Anti-Drop● Anti-Yellowing TPU <p>Certification</p> <div></div>
Material:	High Aluminum 0.33MM	
Hardness:	9H	



Privacy 6H

Mobile Phone Film

iPhone Protective

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-SF-iPhone(Series)	<ul style="list-style-type: none">● High strength and hardness● Resistant to falls● Scratch resistant● Impact resistant● Full size coverage● Water and oil resistant
Material:	PET	
Hardness:	6H	
		Certification
		<div><div>CE</div><div>RoHS</div></div>



HD 6H

Mobile Phone Film

iPhone Protective

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-GF-iPhone(Series)	<ul style="list-style-type: none">High strength and hardnessResistant to fallsScratch resistantImpact resistantFull size coverageWater and oil resistant
Material:	PET	
Hardness:	6H	
		Certification
		<div>CE</div> <div>RoHS</div>



Privacy 6H

Mobile Phone Film

iPhone Protective

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-CF-iPhone(Series)	<ul style="list-style-type: none">● HD High Transmittance 6H● Color Anti-Snooping● Anti-Fingerprint, Anti-Oil● Flexible PET, can Be Wound, Never Broken Edge● Eye Protection, Filter 95% UV and 80% Blue Light● Scratch Resistant
Material:	PET	
Hardness:	6H	
		Certification
		<div><div>CE</div><div>RoHS</div></div>



Privacy 9H

Shell Film Set

iPhone Protective

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-AF-iPhone(Series)	<ul style="list-style-type: none">■ Protect Mobile Phone■ ScreenScratch-Resistant■ Privacy Protection■ High Transparency■ Anti-Drop■ Anti-Yellowing TPU
Material:	High Aluminum 0.33MM	
Hardness:	9H	
		Certification
		<div>CE</div> <div>RoHS</div>



Magnetic


Transparent Phone Case

iPhone Protective

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-MC-iPhone(Series)	<ul style="list-style-type: none">● Protects your mobile phone● Long lasting and durable● Hard, strong and shockproof● Transparent and high-definition
Material:	TPU-PC	
Thickness:	2.0MM	
Color:	Black/Silver/Dark Blue/ Purple	
Application:	iP11-iP15 Series	Certification <div>REACH</div> <div>RoHS</div>



Camera Lens Series





iP16 Series

Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-LS-IP16(Series)	<ul style="list-style-type: none">● Aluminium Alloy● 9H Hard Glass● Ultra-Thin Protector● Perfect Fit
Material:	Aluminium Alloy+Glass	
Hardness:	9H	
		Certification
		REACH RoHS



iP16 Pro Max Series

Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-LS-IP16 PRO MAX	<ul style="list-style-type: none">● Aluminium Alloy● 9H Hard Glass● Ultra-ThinProtector● Perfect Fit
Material:	Aluminium Alloy+Glass	
Hardness:	9H	
		Certification
		<div>REACH</div> <div>RoHS</div>



iP15 Series

Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-LS-iP(Series)	<ul style="list-style-type: none">Aluminium Alloy9H Hard GlassUltra-Thin ProtectorPerfect Fit <div>Certification</div> <div>CERoHS</div>
Material:	Aluminium Alloy+Glass	
Hardness:	9H	



iP15 Series

Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-LS-iP(Series)	<ul style="list-style-type: none">Aluminium Alloy9H Hard GlassUltra-Thin ProtectorPerfect Fit <div>Certification</div> <div>CERoHS</div>
Material:	Aluminium Alloy+Glass	
Hardness:	9H	



iP14 Series

Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-LS-iP(Series)	<ul style="list-style-type: none">Aluminium Alloy9H Hard GlassUltra-Thin ProtectorPerfect Fit <div>Certification</div> <div>CERoHS</div>
Material:	Aluminium Alloy+Glass	
Hardness:	9H	



iP13 Series

Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-LS-iP(Series)	<ul style="list-style-type: none">Aluminium Alloy9H Hard GlassUltra-Thin ProtectorPerfect Fit <div>Certification</div> <div>CERoHS</div>
Material:	Aluminium Alloy+Glass	
Hardness:	9H	



iP15 Series

Camera Lens Protector

Transparent Full Coverage Styles

Colour ☐

Product Name	Electric Parameters	Product Features
Model:	PP-LS-iP(Series)	<ul style="list-style-type: none">Aluminium Alloy9H Hard GlassUltra-Thin ProtectorPerfect Fit <div>Certification</div> <div><div>CE</div><div>RoHS</div></div>
Material:	Aluminium Alloy+Glass	
Hardness:	Transparent	



iP15 Series

Camera Lens Protector

Transparent

Colour ☐

Product Name	Electric Parameters	Product Features
Model:	PP-LS-iP(Series)	<ul style="list-style-type: none">Aluminium Alloy9H Hard GlassUltra-Thin ProtectorPerfect Fit <div>Certification</div> <div><div>CE</div><div>RoHS</div></div>
Material:	Aluminium Alloy+Glass	
Hardness:	9H	



iP14 Series

Camera Lens Protector

Transparent

Colour ☐

Product Name	Electric Parameters	Product Features
Model:	PP-LS-iP(Series)	<ul style="list-style-type: none">Aluminium Alloy9H Hard GlassUltra-Thin ProtectorPerfect Fit <div>Certification</div> <div><div>CE</div><div>RoHS</div></div>
Material:	Aluminium Alloy+Glass	
Hardness:	9H	



iP13 Series

Camera Lens Protector

Transparent

Colour ☐

Product Name	Electric Parameters	Product Features
Model:	PP-LS-iP(Series)	<ul style="list-style-type: none">Aluminium Alloy9H Hard GlassUltra-Thin ProtectorPerfect Fit <div>Certification</div> <div><div>CE</div><div>RoHS</div></div>
Material:	Aluminium Alloy+Glass	
Hardness:	9H	



S23 ULTRA

Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Colour 

Product Name	Electric Parameters	Product Features
Model:	PP-LS-S23ULTRA(Series)	<ul style="list-style-type: none">Aluminium Alloy9H Hard GlassUltra-ThinProtectorPerfect Fit <div>Certification</div> <div></div>
Material:	Titanium Alloy+ Glass	
Hardness:	9H	





S23 ULTRA

Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Colour 

Product Name	Electric Parameters	Product Features
Model:	PP-LS-S23ULTRA(Series)	<ul style="list-style-type: none">Aluminium Alloy9H Hard GlassUltra-ThinProtectorPerfect Fit <div>Certification</div> <div></div>
Material:	Titanium Alloy+ Glass	
Hardness:	9H	



S23PLUS

Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Colour 

Product Name	Electric Parameters	Product Features
Model:	PP-LS-S23PLUS(Series)	<ul style="list-style-type: none">Aluminium Alloy9H Hard GlassUltra-ThinProtectorPerfect Fit <div>Certification</div> <div></div>
Material:	Titanium Alloy+ Glass	
Hardness:	9H	





S23

Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Colour 

Product Name	Electric Parameters	Product Features
Model:	PP-LS-S23PLUS(Series)	<ul style="list-style-type: none">Aluminium Alloy9H Hard GlassUltra-ThinProtectorPerfect Fit <div>Certification</div> <div></div>
Material:	Titanium Alloy+ Glass	
Hardness:	9H	



Watch Charger Series





PP-WC01 2.5W

Apple Watch Charger

USB-A Port Fast Charging

Length 1.2m

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-WC01	<ul style="list-style-type: none">Applies to Apple watch1.2.3.4.5.6.7Magnetic Adsorption For Wireless Charging, Super Strong Magnetic Force For Precise AlignmentLightweight And compact For Easy Portability <p>Certification</p> <p>CE FC</p>
Material:	ABS+PC	
Input:	5V/0.5A	
Power:	2.5W	
Input Interface:	USB-A	
Cable OD:	2.9mm	
Length:	1.2m	
Color:	White	



PP-WC02 2.5W

Apple Watch Charger

Lightning Port Fast Charging

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-WC02	<ul style="list-style-type: none">Smartly Match All styles of Apple WatchMagnetic Adsorption For Wireless Charging, Super Strong Magnetic Force For Precise AlignmentLightweight And compact For Easy Portability <p>Certification</p> <p>CE RoHS</p>
Material:	Zinc Alloy +ABS+PC	
Input:	5V/0.5A	
Power:	2.5W	
Input Interface:	Lightning	
weight:	19.7G	
Size:	40*28*5.8mm	
Color:	White	



PP-WC03 2.5W

Apple Watch Charger

USB-A Port Fast Charging

Length 1.2m

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-WC03	<ul style="list-style-type: none">Smartly Match All styles of Apple WatchMagnetic Adsorption For Wireless Charging, Super Strong Magnetic Force For Precise AlignmentLightweight And compact For Easy Portability <p>Certification</p> <p>CE FC RoHS</p>
Material:	Aluminum+TPE	
Input:	5V/0.5A	
Power:	2.5W	
Input Interface:	USB-A/USB-C	
Cable OD:	2.9mm	
Length:	1.2m	
Color:	White	



PP-WC04 2.5W

Apple Watch Charger

USB-C Port Fast Charging

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-WC04	<ul style="list-style-type: none">Smartly Match All styles of Apple WatchMagnetic Adsorption For Wireless Charging, Super Strong Magnetic Force For Precise AlignmentLightweight And compact For Easy Portability <p>Certification</p> <p>CE FC RoHS</p>
Material:	Zinc Alloy +ABS+PC	
Input:	5V/0.5A	
Power:	2.5W	
Input Interface:	USB-C	
weight:	22G	
Size:	40*28*5.8mm	
Color:	Black	



Lightning Port

USB-C Port



PP-WC05 2.5W


Apple Watch Charger

Lightning & USB-C Port Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-WC05-BK/WE	<ul style="list-style-type: none">● Support Apple Watch SE-S9● Lightning/USB-C Dual Socket● Magnetic Attachment● Precise Alignment● Lightweight and compact● Easy to carry
Material:	Zinc Alloy +ABS+PC	
Input:	5V/0.5A	
Power:	2.5W	
Input Interface:	Lightning/USB-C	
Weight:	25G	
Size:	46*29*8.2mm	Certification <div>REACH</div> <div>RoHS</div>
Color:	Black/White	



Watch Accessories Series





PP-WH01 NEW VERSION

Curved Screen Smart Watch

Connect to mobile phone APP for more functions

Colour



Product Name	Electric Parameters	Product Features
CPU:	ZK8959	<div><div><div></div><div>Heart Rate</div></div><div><div></div><div>Sleep Monitoring</div></div><div><div></div><div>Phone Call Torch</div></div><div><div></div><div>Multi Sport Mode</div></div><div><div></div><div>Music Download</div></div><div><div></div><div>Message Alert</div></div><div><div></div><div>Compass</div></div></div> <div>Certification</div>
Memory:	128MB	
Size:	2.01 Inch Curved Screen	
Resolution:	320*385	
Case material:	Zinc Alloy Shell + Aluminum	
Bluetooth version:	V5.0	
Charging method:	Wireless Charging	
Battery capacity:	300mAh	
Duration:	3 days	
Standby time:	15 days	
Charging time:	2-3H	<div><div>REACH</div><div>RoHS</div></div>
Waterproof level:	IP67 Waterproof	
Wrist strap size:	226*42mm	
With strap:	1PCS Orange Silicone Strap +1PCS Black Braided Strap	

REACH

RoHS





PP-WH02

Children Smart Watch

Safe Protection Fro Children

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-WH02	<ul style="list-style-type: none">Two-way high-definition call,LBS precise positioning,IPX67 waterproof,SOS for help,Real-time security monitoring,680mAh battery,Long standby time,Multi-language support:
Memory:	128MB	
Size:	1.4 Inch	
Resolution:	240*240	
Case material:	Plastic Silicone	
reticulation:	Card insertion	
Charging method:	USB charging	
Battery capacity:	680mha	Certification  
Duration:	3 days	
Standby time:	15 days	
Charging time:	2-3H	
Waterproof level:	IP67 Waterproof	
Wrist strap size:	226*20mm	
With strap:	USB charging cable*1 Watch *1 Instruction manual *1	



Ultra 01

Knitting Watch Strap

Apple iwatch 42/44/45/49 Series

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-WB01	<ul style="list-style-type: none"> Adjustable wearing style Breathable Waterproof and dirt-resistant Not easy to peel off
Material:	Knitting Yarn	
Size:	42/44/45/49	
Color:	Green /Orange / Silver / Black / Blue /Gra	
		Certification 




Ultra 9H

Aluminum Alloy Frame

PET&Titanium Alloy Frame Protector Film

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-WF-Ultra-49	<ul style="list-style-type: none"> Use of nano-coating Resistant to drops Scratch resistant Impact resistant Anti-scratch Water and oil resistant
Material:	PET&Titanium Alloy Frame	
Size:	49mm	
Accessories:	Positioner,Alcohol Pack	
		Certification 




3D 41mm

Watch Protective Film

HD iWatch Protective & 6H

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-WF-S8-41	<ul style="list-style-type: none"> High Definition Display Anti-scratch Cladding Protection Sensitive Touch Anti Edge Wear Water and oil resistant
Material:	PET	
Size:	41mm	
Accessories:	Positioner,Alcohol Pack	
		Certification 




3D 45mm

Watch Charger

HD iWatch Protective & 6H

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-WF-S8-45	<ul style="list-style-type: none"> High Definition Display Anti-scratch Cladding Protection Sensitive Touch Anti Edge Wear Water and oil resistant
Material:	PET	
Size:	45mm	
Accessories:	Positioner,Alcohol Pack	
		Certification 



Touch Penpro Series





PP-SP01

Styluse Touch Penpro

For Android/IOS

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-SP01	<ul style="list-style-type: none">IndicatorAnti-False ContactTilt PressureReplaceable NibWorks With Most Capacitive Screen Devices
Input:	5V/0.36A	
Charging Port:	Type-C	
Working Time:	12 Hours	
Standby Time:	180 Days	
Weight:	13g	<div>Certification</div> <div><div>CE</div><div>FC</div><div>ROHS</div><div>REACH</div><div>CB</div></div>
Battery:	130mah 5V/0.2A 0.41Wh	
Size:	165mm*19mm	



PP-SP02

Styluse Touch Penpro

Bluetooth

Suitable for iPad Models

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-SP02	<ul style="list-style-type: none">Bluetooth FunctionIndicatorAnti-False ContactTilt PressureReplaceable Nib
Input:	5V/0.2A	
Charging Port:	Type-C	
Working Time:	8 Hours	
Standby Time:	360 Days	
Weight:	13g	<div>Certification</div> <div><div>CE</div><div>FC</div><div>ROHS</div><div>REACH</div><div>CB</div></div>
Battery:	130mah 5V/0.2A 0.41Wh	
Size:	165mm*19mm	



PP-DC01


1080P

Intelligent Car Recorder

1080P HD Dash Cam

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-DC01	<ul style="list-style-type: none">● Wifi Mobile Interconnection● Parking Monitoring● Time-lapse Recording● Loop Recording● Starlight Night Vision
Pixel:	1080P	
Input:	5V-0.5A	
Plug:	TYPE-C	
Battery:	Button Battery	
Accessories:	Genuine 3M Glue Type-C Power Cable	APP DOWNLOAD 



PP-HD10

360°

Magnetic Car Mount

Electric Suction Cup& 360° Rotatable

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HD10	<ul style="list-style-type: none">● 360° Rotation● High-capacity Battery● Strong Adsorption Force● Electric Suction Cup
Suction Force:	5KG	
Battery capacity:	130mAh	
Color:	Black	
Material:	Aluminum alloy + ABS	
Phone Size:	4.7 inches ~ 7 inches	
		Certification
		REACH
		RoHS






PP-VC01 4 IN 1

Cordless Vacuum Cleaners

Versatile and Adaptable To All Occasions

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-VC01	<ul style="list-style-type: none">● 15000 Pa Strong Suction● 6000mAh Box Capacity● Wireless & Portable● Light Weight● Wide Range of Usage Scenarios
Voltage:	11.1V	
Power:	100W	
Suction Level:	3	
Suction:	15000PA	
Discharge Time:	30MINS	Certification   
Battery Capacity:	6000mAh	
Charge Wire:	Type-C	
Charge Time:	3-4h	
Product Size:	21*20*6.5cm	